

00887S

dentalMed
TECHNICAL SERVICES



SL8800 DENTAL CHAIR



SL-8800

dentalMed



All aluminum alloy casting

Base, floor box and backrest are used precision, made by casting process, Stable atmosphere, anti rust.



American instrument tray

American instrument tray with stainless steel tray, 360° rotation, flexible operation, It can be quickly removed for disinfection.

Safety blocking device

Backrest and chair seat are set up safely Blocking function. When the chair are run into an obstacle, dental chair will stop working and springback.



Ceramic spittoon

The spittoon can be disassembled at will. It can be rotated inward by 90 degrees, Easy to clean and disinfect.



SL-8800

dentalMed



**Integrated
backrest armrest**
Using horn armrest
design, unique shape,
easy to use, wide and
comfortable backrest



Assistant tray
Hollow handrail design,
Assistant tray can rotate
90°,convenient for nurse
to operate.

Left hand device
Spittoons and boxes
can be 180°rotate
from the right to the
left,which is convenient
for the left-hand doctor.



**Multi-function
foot control**
Can be controlled by
chair lifting, backrest,
handpiece status and
spittoon flushing water
supply,improve the
doctor's work efficiency.



SL-8800

dentalMed



Doctor stool

Soft leather for high comfort, Adjustable lifting, Large 5 star frame, stronger bearing capacity.



Instrument tray connecting arm

The center of gravity is stable not easy to shake. When the instrument tray rotates away from the patient, reduce the patient's depression.

Aluminium alloy base

Precision aluminum alloy casting base, Not easy to shape, not rust, Rugged and durable.



6-bulbs LED light

7 levels can be adjusted: (4000-5500k); Maximum brightness up to 60000lux; Good no-shadow effect Square light spot.



Standard configuration

Patient Chair	Super fiber leather cushion
	Aluminum base, junction box
	Chair interlock system
	Chair position (4 memories)
	Urgency safety switch
Side box	Cup&Rinsing system
	Romovable ceramic cuspidor
	Saliva ejector and suction ejector
	Handpiece purified water supply
Operation tray	Instrument tray with operations
	3 way syringe (cold/hot water)
	24V LED film viewer
Assistant tray	Assistant unit with operations
	3 way syringe (cold/hot water)
Lamp	LED reflect lamp
foot control	Multi-functional foot control
Junction box	External type junction box
Dentist stool	Luxury dentist stool

Specification

Power supply pressure: 220V/50HZ
motor voltage: 24V
Air source pressure: 0.55Mpa-0.8Mpa
Water source pressure: 0.2Mpa-0.4Mpa

Optional configuration

High/low speed handpiece
Built-in scaler
Built-in curing light
Linak dc motor
Tissue box

Cushion color

HX12-01	HX12-20	HX12-27	HX12-30
HX12-31	HX12-34	HX12-36	HX12-43
HX12-44	HX12-49	HX12-51	HX12-55
HX12-58	HX12-60	HX12-64	HX12-72

Installation drawing

